

## Table of contents

- **Beech Plywood**
- **Aluminum Laminated Material (Alucobond®)**
- **Perforated Plate, AL**
- **Polycarbonate**
- **Mesh Steel**
- **Weld Mesh**
- **Plexiglass**
- **Aluminum Checker Plate**
- **Cellulose**
- **Aluminum Sheet**

## Beech Plywood

Suitable for workshops and laboratory benches. Clear coated on both sides.

We offer a wide range of sheet materials and panels, ideal for building protective walls and doors, workstations etc. This is just a sample of our assortment.

Please contact us for further information about the various materials, specifications and designations. We will help you to find a suitable solution based on your application requirements.

**Material:** Beech

**System:** 40 - Slot 8; 30 - Slot 6; 20 - Slot 5



## General Data

Designation	Dimensions
Beech Plywood	Max 2500 mm x 1500 mm

## Aluminum Laminated Material (Alucobond®)

Suitable for workshops and laboratory benches. These surface elements comprise of two anodized aluminum cover plates that are permanently bonded by a polyethylene plate.

We offer a wide range of sheet materials and panels, ideal for building protective walls and doors, workstations etc. This is just a sample of our assortment.

Please contact us for further information about the various materials, specifications and designations. We will help you to find a suitable solution based on your application requirements.

**Material:** Alucobond®

**System:** 40 - Slot 8; 30 - Slot 6; 20 - Slot 5



## General Data

Designation	Dimensions
Aluminum Laminated	Max 3000 mm x 1500 mm

## Perforated Plate, AL


Available from stock with 10 mm perforation in staggered rows. Distance to next hole / to next row: 15 mm

We offer a wide range of sheet materials and panels, ideal for building protective walls and doors, workstations etc. This is just a sample of our assortment.

Please contact us for further information about the various materials, specifications and designations. We will help you to find a suitable solution based on your application requirements.

**Material:** Aluminum, blank (not degreased)

**System:** 40 - Slot 8; 30 - Slot 6; 20 - Slot 5



## General Data

Designation	Dimensions
Perforated Plate, AL	Max 2500 mm x 1250 mm

## Polycarbonate

Sheet materials for protective walls and separator applications.

We offer a wide range of sheet materials and panels, ideal for building protective walls and doors, workstations etc. This is just a sample of our assortment.

Please contact us for further information about the various materials, specifications and designations. We will help you to find a suitable solution based on your application requirements.

**Material:** Makrolon

**System:** 40 - Slot 8; 30 - Slot 6; 20 - Slot 5





## General Data

Designation	Colour	Dimensions
Polycarbonate clear	Clear	Max 3050 mm x 2050 mm
Polycarbonate smoked	Smoked	Max 3050 mm x 2050 mm

## Mesh Steel


Sheet materials for protective walls and separator applications.

We offer a wide range of sheet materials and panels, ideal for building protective walls and doors, workstations etc. This is just a sample of our assortment.

Please contact us for further information about the various materials, specifications and designations. We will help you to find a suitable solution based on your application requirements.

**Material:** Steel

**System:** 40 - Slot 8; 30 - Slot 6; 20 - Slot 5



## General Data

Designation	Description	Colour	Dimensions
<b>SZ1642V</b>	Mesh 4 x 40 Steel, natural	Natural	Max 3000 mm x 2000 mm
<b>SZ1642S</b>	Mesh 4 x 40 Steel, black	Black	Max 3000 mm x 2000 mm
<b>SZ1643V</b>	Mesh 3 x 30 Steel, natural	Natural	Max 3000 mm x 2000 mm
<b>SZ1643S</b>	Mesh 3 x 30 Steel, black	Black	Max 3000 mm x 2000 mm
<b>SZ1644V</b>	Mesh 2 x 20 Steel, natural	Natural	Max 3000 mm x 2000 mm
<b>SZ1644S</b>	Mesh 2 x 20 Steel, black	Black	Max 3000 mm x 2000 mm

## Weld Mesh



Welded wire mesh used for doors, protective walls, and partitions.

We offer a wide range of sheet materials and panels, ideal for building protective walls and doors, workstations etc. This is just a sample of our assortment.

Please contact us for further information about the various materials, specifications and designations. We will help you to find a suitable solution based on your application requirements.

**Material:** Steel

**System:** 40 - Slot 8; 30 - Slot 6; 20 - Slot 5



## General Data

Designation	Description	Colour	Dimensions
<b>SZ1645V</b>	Weld Mesh zinc-plated	Zinc-plated	Max 3000 mm x 1500 mm
<b>SZ1645S</b>	Weld Mesh black	Black	Max 3000 mm x 1500 mm

## Plexiglass

Sheet materials for protective walls and separator applications.

We offer a wide range of sheet materials and panels, ideal for building protective walls and doors, workstations etc. This is just a sample of our assortment.

Please contact us for further information about the various materials, specifications and designations. We will help you to find a suitable solution based on your application requirements.

**Material:** Plexiglass

**System:** 40 - Slot 8; 30 - Slot 6; 20 - Slot 5



## General Data

Designation	Colour	Dimensions
Plexiglass clear	Clear	Max 3050 mm x 2050 mm
Plexiglass smoked	Smoked	Max 3050 mm x 2050 mm

## Aluminum Checker Plate

Sheet material for protective walls and separator applications.

We offer a wide range of sheet materials and panels, ideal for building protective walls and doors, workstations etc. This is just a sample of our assortment.

Please contact us for further information about the various materials, specifications and designations. We will help you to find a suitable solution based on your application requirements.

**Material:** Aluminum, blank (not degreased)

**System:** 40 - Slot 8; 30 - Slot 6; 20 - Slot 5





## General Data

Designation	Dimensions
Aluminum Checker Plate	Max 2500 mm x 1250 mm

## Cellulose



For highly stressed surfaces and panelling. Drilling and tapping in this material is possible. Resin bonded cellulose, hot pressed. Double sided surface coating. Further gauges and colours on request.

We offer a wide range of sheet materials and panels, ideal for building protective walls and doors, workstations etc. This is just a sample of our assortment.


Please contact us for further information about the various materials, specifications and designations. We will help you to find a suitable solution based on your application requirements.

**Material:** Cellulose

**System:** 40 - Slot 8; 30 - Slot 6; 20 - Slot 5



## Cellulose



## General Data

Designation	Colour	Dimensions
Cellulose white	White	Max 2750 mm x 2020 mm
Cellulose light grey	Light grey	Max 2750 mm x 2020 mm
Cellulose grey	Grey	Max 2750 mm x 2020 mm
Cellulose green	Green	Max 2750 mm x 2020 mm
Cellulose red	Red	Max 2750 mm x 2020 mm
Cellulose yellow	Yellow	Max 2750 mm x 2020 mm
Cellulose blue	Blue	Max 2750 mm x 2020 mm

## Aluminum Sheet


The panel can be supplied in a variety of colours. The colour must be advised at time of order.

We offer a wide range of sheet materials and panels, ideal for building protective walls and doors, workstations etc. This is just a sample of our assortment.

Please contact us for further information about the various materials, specifications and designations. We will help you to find a suitable solution based on your application requirements.

**Material:** Aluminum, natural anodised

**System:** 40 - Slot 8; 30 - Slot 6; 20 - Slot 5



## General Data

Designation	Dimensions
Aluminum Sheet	Max 3000 mm x 1500 mm